


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Legend for floor plans of residential properties in the Phase

期數的住宅物業的樓面平面圖圖例



ACP	= AIR CONDITIONER PLATFORM	空調機平台	KIT	= KITCHEN	廚房
ALUMINUM RAIN HOOD	= ALUMINUM RAIN HOOD	鋁質雨篷	LAV	= LAVATORY	洗手間
ARCHITECTURAL FEATURE	= ARCHITECTURAL FEATURE	建築裝飾	LIV/DIN	= LIVING ROOM/DINING ROOM	客廳/飯廳
ARCHITECTURAL FEATURE ABOVE	= ARCHITECTURAL FEATURE ABOVE	建築裝飾在上方	MBA	= MASTER BATHROOM	主人浴室
ARCHITECTURAL FEATURE BELOW	= ARCHITECTURAL FEATURE BELOW	建築裝飾在下方	MBR	= MASTER BEDROOM	主人睡房
BA	= BATHROOM	浴室	MC	= METAL CLADDING	金屬飾面板
BA1	= BATHROOM 1	浴室 1	OKIT	= OPEN KITCHEN	開放式廚房
BA2	= BATHROOM 2	浴室 2	POWDER	= POWDER ROOM	化妝間
BAL	= BALCONY	露台	PRIVATE FLAT ROOF	= PRIVATE FLAT ROOF	私人平台
BAL ABOVE	= BALCONY ABOVE	露台置上	RC FINS ABOVE	= REINFORCED CONCRETE FINS ABOVE	鋼筋混凝土鰭置上
BR1	= BEDROOM 1	睡房 1	PD	= PIPE DUCT	管道槽
BR2	= BEDROOM 2	睡房 2	ROOF FOR FLAT X ¹	= ROOF FOR FLAT X ¹	X ¹ 單位天台
BR3	= BEDROOM 3	睡房 3	RSMRR	= REFUSE STORAGE AND MATERIAL RECOVERY ROOM	垃圾及物料回收室
B/W	= BAY WINDOW	窗台	ST	= STORE ROOM	儲物室
COMMON ACCESS FOR MAINTENANCE	= COMMON ACCESS FOR MAINTENANCE	供維修用之公用通道	TOP OF BAL	= TOP OF BALCONY	露台頂
COMMON FLAT ROOF	= COMMON FLAT ROOF	公用平台	TOP OF B/W	= TOP OF BAY WINDOW	窗台頂
CORRIDOR	= CORRIDOR	走廊	TOP OF STARHOOD OF FLAT X ¹	= TOP OF STARHOOD OF FLAT X ¹	X ¹ 單位梯屋上蓋
DN	= DOWN	落	TRS	= TEMPORARY REFUGE SPACE	臨時庇護處
DOG HOUSE	= MECHANICAL & ELECTRICAL SERVICES DUCT	管道檢修井	UP	= UP	上
ELV	= EXTRA LOW VOLTAGE DUCT	特低壓電線槽	UTL	= UTILITY ROOM	工作間
EMR	= ELECTRICAL METER ROOM	電錶房	UTL1	= UTILITY ROOM 1	工作間 1
F. LIFT LOBBY	= FIREMAN'S LIFT LOBBY	消防升降機大堂	UTL2	= UTILITY ROOM 2	工作間 2
FLAT ROOF	= FLAT ROOF	平台	VOID	= VOID	中空
LIFT	= LIFT	升降機	VOID ABOVE	= VOID ABOVE	上層中空
LIFT MACHINE ROOM	= LIFT MACHINE ROOM	升降機房	WMC	= WATER METER CABINET	水錶櫃
LIFT OVERRUN	= LIFT OVERRUN	升降機槽		= LOCATION OF AIR CONDITIONER OUTDOOR UNIT SERVING FLAT X ¹	X ¹ 單位空調室外機位置
HR	= HOSE REEL	消防喉轆			
HR AT H/L	= HOSE REEL AT HIGH LEVEL	消防喉轆設於高位			

Remark 備註：
¹ 'X' denotes flat number.
'X' 表示單位編號。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2
第2座

8/F
8樓



SCALE 比例 0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位						
			A	B	C	D	E	F	G
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	8/F 8樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)			3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*

- * Inclusive of the thickness of filling on sunken slab.
- * 包括跌級樓之填充層厚度。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。



- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2
第2座

9/F - 12/F, 15/F - 23/F, 25/F - 26/F
9樓至12樓、15樓至23樓、25樓至26樓



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位						
			A	B	C	D	E	F	G
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	9/F - 12/F, 15/F - 23/F and 25/F 9樓至12樓、 15樓至23樓及25樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離)（毫米）			3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		26/F 26樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離)（毫米）			3100, 3200*, 3400*, 3550*	3100, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*

- * Inclusive of the thickness of filling on sunken slab.
- * 包括跌級樓之填充層厚度。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。



- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2
第2座

28/F -33/F, 35/F - 43/F, 45/F - 46/F, 48/F - 53/F, 55/F - 63/F and 65/F
28樓至33樓、35樓至43樓、45樓至46樓、48樓至53樓、55樓至63樓及65樓



SCALE 比例 0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位						
			A	B	C	D	E	F	G
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	28/F - 33/F, 35/F - 43/F, 45/F, 48/F - 53/F, 55/F - 63/F and 65/F 28樓至33樓、 35樓至43樓、45樓、 48樓至53樓、 55樓至63樓 及65樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*	3100, 3100*
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		46/F 46樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3100, 3200*, 3400*, 3550*	3100, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*	3100, 3200*, 3400*, 3550*

- * Inclusive of the thickness of filling on sunken slab.
- * 包括跌級樓之填充層厚度。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。



- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2
第2座

66/F
66樓



SCALE 比例 0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位						
			A	B	C	D	E	F	G
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	66/F 66樓	150	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3100, 3200*, 3300, 3400*, 3550*, 3600*, 3750*	2950, 3050, 3250*, 3300, 3400*, 3600*	2950, 3300, 3300*	3300, 3300*	3300, 3300*	3300, 3300*	

- * Inclusive of the thickness of filling on sunken slab.
- * 包括跌級樓之填充層厚度。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
- Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
- The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.



備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2
第2座

67/F
67樓



SCALE 比例 0 2 4 6 8M/米

BUILT-IN FITTINGS PROVIDED IN THE FLAT
隨樓附送之嵌入式裝置

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位					
			A	B	C	D	E	F
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	67/F 67樓	150	150	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3100, 3250, 3300, 3400, 3500, 3600*, 3750*, 3850*, 6800	3300, 3300*	3300, 3300*	3300, 3300*	3300, 3300*	3300, 3300*

- * Inclusive of the thickness of filling on sunken slab.
- * 包括跌級樓之填充層厚度。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位					
			A	B	C	D	E	F
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	68/F 68樓	150, 200	150, 200	150	150	150	150
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)			3300, 3400*, 3450, 3500, 3550*	3500, 3600*, 3650, 3800*, 3950*	3500, 3600*, 3800*, 3950*	3500, 3600*, 3800*, 3950*	3500, 3600*, 3800*, 3950*	3500, 3600*, 3800*, 3950*

- * Inclusive of the thickness of filling on sunken slab.
- * 包括跌級樓之填充層厚度。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。



- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2
第2座

Roof
天台



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位					
			A	B	C	D	E	F
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	Roof 天台	Stairhood: 150; other parts: Not Applicable 梯屋：150; 其他部分： 不適用	Stairhood: 150; other parts: Not Applicable 梯屋：150; 其他部分： 不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離)（毫米）			Stairhood: 3200; other parts: Not Applicable 梯屋：3200; 其他部分： 不適用	Stairhood: 3200; other parts: Not Applicable 梯屋：3200; 其他部分： 不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Tower 2
第2座

UR 1/F
上層天台1



SCALE 比例 8M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Description 描述	Tower 座數	Floor 樓層	Flat 單位	
			A	B
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 2 第2座	UR 1/F 上層天台1	Not Applicable 不適用	Not Applicable 不適用
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度 （指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to the first page of this section for legend of the terms and abbreviations shown in the floor plan.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本節之首頁。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。